PTC/SB/80 (04-05)

Approved for use through 11/30/2005. OMB 0631-0035

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no percons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO

I hereby 37 CFR	-	evious powers of attorney	given in the a	ppl	ication identified in the	attached state	ment under	
1 hereby	appoint:							
	ated with the Customer Number.	44702						
C ORT			<u></u>					
Practitioner(s) named below (if more than ten patent practitioners are to be named, then a customer number must be used):								
		Name	Registration Number		Name		Registration Number	
	Glenn F.	<u>Ostrager</u>	29,963		Andres Madrid		40,710	
	Dennis M.	Flaherty	31,159		Lisa N. Benado	<u> </u>	<u>39,905</u>	
	Joshua S.	Broitman	38,006		Terje Gudmesta	d	32,232	
	Leighton		27,621		Eric Satermo		40,159	
	Manette D	ennis	30.623		John R. Rafter		28,533	
as attorne	ry(s) or agent(s) i ill patent applicat	to represent the undersigned befolions assigned only to the undersicordance with 37 CFR 3.73(b).	ore the United St	tate: to th	Patent and Trademark Off e USPTO assignment recor	ce (USPTO) in con ds or assignment o	nection with locuments	
Please ch	ange the comes	condence address for the applica	tion identified in	the	attached statement under 3	7 CFR 3.73(b) to:		
	. •	•						
OR	The address ass	sociated with Customer Number:	447	702				
	m or			_				
[] I ^{UC}	dividual Name	Ostrager Chong	Flaherty	& [Broitman PC			
Address	,	250 Park Avenue	, Suite 8	25				
City		New York	State	N	1	Zip 1017	7-0899	
Country		USA						
Tetepho	ne	(212) 681-0600			Email gostrager@	ocfblaw.com	m i	
					3000,030,0			
Assignee	Assignee Name and Address: The Boeing Company 100 N. Riverside Plaza Chicago, IL 60606							
A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTO/SB/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee, and must identify the application in which this Power of Attorney is to be filed.								
SIGNATURE of Assignee of Record The judit idual whose signature and title is supplied below is authorized to act on behalf of the assignee								
Signature	- for				Date	December	22, 2005	
Name	Terje	Gadmestad			Tele	phone (949)	790-1374 <u> </u>	
Title	Title Counsel, The Boeing Company This collection of information is required by 37 CFR 1.31, 1.32 and 1.33. The Information is required to obtain or retain a benefit by the public which is to fite (and							
This collect by the USI	tion of information PTO to process) ar	is required by 37 CFR 1.31, 1.32 and application. Confidentiality is govern	1,33, The Information by 35 U.S.C. 1	ation 122 s	nd 37 CFR 1.11 amd 1.14. ≀n¤!	benefit by the public collection is estimate	EQ TO TENCE 2 HINDINGS	

to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form analysis suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patert and Trademark Office, U.S. Department of Commissioners, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/98 (11-05)

Approved for use through 07/31/2008, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1996, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)
Applicant/Patent Owner: The Boeing Company
Application No J Patent No.: see attached Filed/Issue Date: see attached
Entitled:
The Boeing Company a Corporation (Name of Assigner) (Type of Assigners, e.g., corporation, partnership, university, government agency, otc.)
states that it is: 1. \overline{X} the assignee of the entire right, title, and interest; or
an assignee of less than the entire right, title and interest (The extent (by percentage) of its ownership interest is%)
in the patent application/patent Identified above by virtue of either.
A An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the United States Patent and Trademark Office at Reel, Frame or for which a copy thereof is attached. OR
B. A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as follows:
1. From:To:
From: To: The document was recorded in the United States Patent and Trademark Office at Reel Frame, or for which a copy thereof is attached.
2. From:To:
The document was recorded in the United States Patent and Trademark Office at Reel, Frame, or for which a copy thereof is attached.
3. From:To:To:
Additional documents in the chain of title are listed on a supplemental sheet.
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11.
[NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, to record the assignment in the records of the USPTO. See MPEP 302.08]
The undereigned (whose tittle supplied below is authorized to act on behalf of the assignee. December 22, 2005
Signature Determiner 22, 2003
Terje Gudmestad (949) 790-1374
Printed or Typed Name Telephone Number
Counsel, The Boeing Company

Title

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentistify is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including guthering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Case No.	Sub		MODING.	And and and an arrangement of the second		
200253		WIDE-BANDGAP, LATTICE-MISMATCHED	09/976,508	12-Oct-01	012271	0098
		WINDOW LAYER FOR A SOLAR ENERGY	1			İ
		CONVERSION DEVICE				}
00253	A	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,028	31-Jan-03	014259	0577
	}	WINDOW LAYER FOR A SOLAR ENERGY				
	1	CONVERSION DEVICE	1			}
200265			09/853,475	11-May-01	011809	0297
-40200	1	CANCELLATION SYSTEM				
200300	-	SEMICONDUCTOR CIRCUITS AND DEVICES	09/850,773	08-May-01	011792	0263
20000	}	ON GERMANIUM SUBSTRATES	00,000,	, c.		1000
00-065	С		29/189,740	10-Sep-03	016149	0392
01-001	 	Method and System for Reducing Stress	10/905,484	06-Jan-05		0545
1-001	}	Concentrations in Lap Joints	10/300,404	ÇÇ GAN OO		}
34 4040	 	Method and System for Utilizing Low Pressure	10/404,742	01-Apr-03	013038	0241
01-1048			10/404,742	01-Api-03	013930	0241
		for Perforating and Consolidating an Uncured			{	1
	1	Laminate Sheet in One Cycle of Operation	10710645	07 1:1 04	044000	0101
01-1163	Α	Low Chamfer Angled Torque Tube End Fitting	10/710,645	27-Jul-04	014899	וטוטו
-A	 _	With Elongated Overflow Groove				
01-275	<u> </u>	Simulation System And Method	09/865,293			0356
)1-458		Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-02	012557	0533
	<u> </u>	Communication Satellites				<u> </u>
01-458	Α	Dual-Band Multiple Beam Antenna System For	11/259,913	27-Oct-05	012557	0533
	<u> </u>	Communication Satellites	}			<u> </u>
01-519	1	Electronic Network Filter for Classified	10/137.974			0731
01-565	Ī	Aircraft Surface Ice Inhibitor	10/161,238			0635
01-572	7	A Method for Detecting Foreign Object Debris	09/954,404	17-Sep-01	012181	0775
01-704	}	Operating Point Independent Digital Automatic	10/389,034	14-Mar-03	013876	0735
	1	Level Control			1	į
01-799		Redundant Power Distribution System	10/615,705	09-Jul-03	014267	0982
01-926		Closed-Loop Pointing System with Spot Beams	10/349,294	22-Jan-03		0930
	{	and Wide-Area Beams				§
01-965	 	Method and System Having a Flowable	10/404,993	01-Apr-03	013938	0234
0,000		Pressure Pad for Consolidating an Uncured	}	,	}	
	<u> </u>	Laminate Sheet in a Cure Process	į	i ·		Ì
02-0018	; 	Thermographic System and Method for	10/274,273	18-Oct-02	014219	0150
02-0010	1	Detecting Imperfections within a Bond	10/2/4,2/0	10 000	}	1
02-0033	 	Operational Ground Support System	10/847,739	17-May-04	1015160	0505
			10/711,610	28-Sep-0/		0354
02-0033	<u> A</u> _	Operational Ground Support System	11/163,405			0986
02-0033	=	Carry-On Luggage System for an Operational	1 1/ 103,405	10-001-0	1010033	U300
 -	<u> </u>	Ground Support System	40/207 002	25-Mar-03	012010	0156
02-0050	i	Low-Penetration-Force Pinmat for Perforating	10/397,003	25-Mar-0	םו פכוטיים	0150
	-	an Uncured Laminate Sheet	40/440 454	40.040.0	042000	0867
02-0128		Multi-Dimensional Fractional Number of Bits	10/142,461	10-May-02	2 012099	10001
	-	Modulation Scheme			20040	
02-0173	}	Increased Propellant Performance From Equal	10/327,317	20-Dec-0	213618	0959
		Volume Propellant Tanks	1	L	2010-01	0000
02-0256	1	Rechargeable Composite Ply Applicator	10/272,085			0926
02-0256	Α	Rechargeable Composite Ply Applicator	11/186,582		5 013704	0926
02-0390		Dual Transmission Emergency Communication	10/337,530	-07-Jan-0	3 013644	0043
•	į	System				
02-0627	1	Improved Honeycomb Cores For Aerospace	10/236,361	06-Sep-0	2,013276	0573
	1	Applications			}	1

	leray		A STATE OF THE STA	ele para	Parks	Erame Nos
TO TAKE A MANAGEMENT OF THE	عامدنا		10/310,457	05-Dec-02		0810
02-0667	(10/382,187	05-Dec-02		0309
02-0714			Address of the latest of the l			0036
02-0718		Optical Differential Quadrature Phase-Shift	10/281,676	28-Oct-02	U13434	0030
<u> </u>	} {	Keyed Decoder	15/540 050	00 100	044005	0258
02-0889	ĺ	Constant Vertical State Maintaining Cueing	10/613,253	03-Jul-03	U14295	0258
		System	·			10001
02-0930	Α	COMMERCIAL AIRCRAFT ON-BOARD	10/708,110	10-Feb-04	014318	0304
	<u> </u>	INERTING SYSTEM				
02-1095		Programmable Messages for Communication	10/310,275	05-Dec-02	013554	0714
	<u>i </u>	System having One-Button User Interface				<u> </u>
02-1096		Communications Protocol for Mobile Device	10/310,481	05-Dec-02		0606
02-1150	<u> </u>	On Orbit Variable Power High Power Amplifiers	10/365,359	12-Feb-03	013764	0001
	}	for a Satellite Communications System				
02-1189]	VARIABLE HIGH POWER AMPLIFIER WITH	10/431,903	08-May-03	014060	0978
	ì	CONSTANT OVERALL GAIN FOR A				1
	1	SATELLITE COMMUNICATION SYSTEM				
02-1221	-	Serial Port Multiplexing Protocol	10/310,751	05-Dec-02	013553	0935
02-1231	1	METHOD FOR PREPARING ULTRA-FINE,	10/707,173	25-Nov-03	014153	0797
	1	SUBMICRON GRAIN TITANIUM AND				
		TITANIUM-ALLOY ARTICLES AND ARTICLES			[1
		PREPARED THEREBY				}
02-1244		Fiber Matrix for a Geometric Morphing Wing	10/357,022	03-Feb-03	013728	0097
02-1264		Resonator Box to Laser Cavity Interface for	10/396,804	24-Mar-03		0840
02 120-	1	Chemical Laser			}	1
02-1300	1	A Pattern Method and System for Detecting	10/384,037	07-Mar-03	014708	0030
02-1000		Foreign Object Debris]		
02-1349		Integrated Window Display	10/383,012	06-Mar-03	013861	0001
03-0030		PPM RECEIVING SYSTEM AND METHOD	10/707,076	19-Nov-03		0908
{	1	USING TIME-INTERLEAVED INTEGRATORS	}	1	}	1
03-0138	-	Capacitive Acceleration Derivative Detector	10/604,537	30-Jul-03	013834	0446
03-0192	 -	AUTONOMOUSLY ASSEMBLED SPACE	10/605,797	28-Oct-03		0717
03-0132		TELESCOPE	10,000,101	1 22 30.00	10.1000	
03-0193	- \	Fast Access, Low Memory, Pair Catalog	10/710,177	24-Jun-04	014769	0432
	<u> A </u>	Method and Apparatus for Real-Time Star	10/709,348	29-Apr-04	1	0263
03-0196		Exclusion From A Database	10/109,340	23-741-0-	014004	0200
00.0407	<u> </u>	Method and Appartus For On-Board	10/710,178	24-Jun-04	014769	0735
03-0197	Α		10// 10,1/6	24-0011-04	14/03	30733
00000	·	Autonomous Pair Catalog Generation	10/708,864	29-Mar-04	014457	0228
03-0208	-	Variable-Duct Support Assembly		26-Nov-03		0794
03-0271		BEAMFORMING ARCHITECTURE FOR MULT	10//0/,211	20-1404-03	014133	1013-
00.0040	+	BEAM PHASED ARRAY ANTENNAS	10/710,287	30-Jun-04	014706	0986
03-0348		Aircraft Interior Configuration Detection System				0939
03-0414		CRYOGENIC FUEL TANK INSULATION	10/605,599	11-Oct-03	0 1404 1	0935
		ASSEMBLY	10/004 100	00 100 0	042765	0277
03-0431		Aircraft Secondary Electric Load Controlling	10/604,189	30-Jun-03	013/05	0377
	-}	System	140/005 000	04 115 6	044400	0059
03-0489		GPS NAVIGATION SYSTEM WITH	10/605,890	04-Nov-0	5 074700	0958
	-	INTEGRITY AND RELIABILITY MONITORING	140,050 -55	1 00 0	1045003	10440
03-0520		Integrated Capacitive Bridge Integrated Flexure	10/953,726	29-Sep-04	# _[U7583/	0448
}	<u> </u>	Functions Inertial Measurement Unit	1	 		10004
03-0527	į	Dynamic Seat Labeling and Passenger	10/707,965	28-Jan-0	14287	0001
)	Identification System)	•	ı	(

Casa Na	25116		A DEVICE	FIE Date:	R es tivo.	FIEDEN
3-0684		Integral Clamping-and-Bucking Apparatus for	10/904.978	08-Dec-04	015424	0962
	}	Utilizing a Constant Force and Installing Rivet	į			
		Fasteners in a Sheet Metal Joint]		
3-0755		Heavy Particle Lorentz Force Accelerator	10/709,620	18-May-04	014623	0324
3-0835	ļ	Aircraft Archway Architecture	10/688,624	17-Oct-03		0753
	A	Interior Archway for an Aircraft	29/192,055	17-Oct-03		0075
)3-0835	B	Aircraft Interior Architecture	10/908,140	28-Apr-05		0075
)3-0835	C		29/228,800	28-Apr-05	014628	0075
	<u> </u>		11/160,192	13-Jun-05	016132	0060
3-0885	}	for Manufacturing the Same	11/100,102	13-3317 55	010702	
30 000E	}	Interior Seating Architecture for Aircraft	10/605,586	10-Oct-03	014040	0514
3-0925		MULTIPLE STAYOUT ZONES FOR GROUND-	10/709,348	29-Apr-04		0363
03-0963	ì		10//09,340	29-Apt-04	Ų 1 4 007	0000
	ļ	BASED BRIGHT OBJECT EXCLUSION	10/707,612	24-Dec-03	01/217	0512
)3-1090	Ì	Translucent, Flame Resistant Composite	10//07,012	24-Dec-03	014217	0312
	<u> </u>	Materials	10/708,749	23-Mar-04	014440	0233
3-1104		Shower System				0326
3-1129		Unauthorized Access Embedded Software	10/658,159	09 - Sep-03	U 14480	0320
	<u> </u>	Protection System	40540444	00 1 04	044760	0608
03-1138		Undercut for Bushing Retention for SLS Details	10/710,144	22-Jun-04		0698
03-1140	<u> </u>	SLS for Tooling Applications	10/710,163	23-Jun-04		0205
03-1308	}	Mandrel, Mandrel Removal and Mandrel	10/907,320	29-Mar-05	015838	0315
		Fabrication to Support a Monolithic Nacelle			}	1
	1	Composite Panel				
03-14 71		Extended Accuracy Variable Capacitance	10/952,952	29-Sep-04	015855	0647
	-	Bridge Accelerometer			}	
03-1526		Flexible Mandrel for Highly Contoured	10/904,717	24-Nov-04	015391	0571
	i	Composite Stringer				<u> </u>
04-0016	Α	AN INTEGRATED TRANSPORT SYSTEM AND	10/709,777	27-May-04	014664	0676
	}	METHOD FOR OVERHEAD STOWAGE AND	i :	}		j
	ì	RETRIEVAL			<u> </u>	<u>}</u>
04-0054	A	REAL-TIME REFINEMENT METHOD OF	11/028,094	03-Jan-05	016176	0162
	ì	SPACECRAFT STAR TRACKER ALIGNMENT)	ļ	
	1	ESTIMATES	į	}	}	
04-0070	 -	Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-04	015267	0039
0 1 00.0	Ì	Strenth Perforated Laminate Sheets			}	
04-0072	+	Overhead Space Access Conversion Monument	10/708,810	26-Mar-04	014451	0789
Q+ V012		and Service Area Staircase and Stowage			}	
04-0073	-{	Stowable Spiral Staircase System for Overhead	10/708.855	29-Маг-04	014457	0168
U0015		Space Access				
04-0089	-{ ·	Determinant Assembly Features for Vehicle	10/904,802	30-Nov-04	1015399	0122
04-0009	ĺ	Structures				
04-00 9 2	-{	Overhead Space Access Stowable Staircase	10/708,733	22-Mar-04	014435	0168
04-0097	{-	MANDREL WITH DIFFERENTIAL IN	10/904,709			0450
04-0097	-	THERMAL EXPANSION TO ELIMINATE	10,00		}	
04 0427		Method to Improve Properties of Aluminum	10/939,528	13-Sep-04	1016635	0434
04-0137	i	Alloys Processed by Solid State Joining	10,000,020			1
04.0000	+	Segmented Flexible Barrel Lay-up Mandrel	10/904,841	01-Dec-0	1015404	0307
04-0208			10/711,553			0637
04-0304	-	Mist Delivery System	10/904,800			0995
04-0384	<u> </u>	Self-Locating Feature for a Pi-Joint Assembly Minimum Bond Thickness Assembly Feature	10/904,801	·		0046
04-0385	1	•	10/804,001	1 30-101-0	10000	
	 	Assurance	10/711,386	15-Sep-0	4015130	0758
04-0567	\$	Aircraft Cabin Crew Complex	110// 11,300	12-26h-0	7/010100	.10.00

	2445		Canada de la Cara	anciera (Reef Nov	
04-0588	222	Articulated Spacecraft Seat and Stretcher	10/906,482	22-Feb-05		0268
		Composite Shell Spacecraft Seat	10/905,483	06-Jan-05		0975
04-0589			10/907,931	21-Apr-05	015926	0242
04-0590		Entry Vehicle Seat	10/30/,031	2	4 - 	
04.0067		Airport Security System	10/906,757	04-Mar-05	015730	0856
04-0667		Protective Cover and Tool Splash for Vehicle	10/907,786	15-Apr-05		0530
04-0681		\$* * * *	10/301,100	10-Api 00	Q 10004	0000
0.1.07.14		Components Pivot Mechanism for Quick Installation of	10/905,502	07-Jan-05	015543	0015
04-0741			10/505,502	07-3211-00	010010	
		Stowage Bins or Rotating Items	10/907,600	07-Apr-05	Ω15875	0804
04-0747		Stowable Table Layered, Transparent Thermoplastic for	11/102,401	08-Apr-05		0082
04-0765		Layered, Transparent Thermopiastic for	11/102,401	00-141-00	0.0000	1
		Flammability Resistance Electromagnetic Mechanical Pulse Forming of	10/905,211	21-Dec-04	015477	0601
04-0791			10/500,211	21-000-01	015-11	1
		Fluid Joints for High-Pressure Applications	10/907,990	22-Apr-05	015938	0923
04-0793		Airplane Interior Systems	10/994,848	22-Nov-04		0742
04-0805		Compensated Composite Structure	10/994,8465	The second secon		0473
04-0824		Aircraft Cart Transport and Stowage System	10/905,007			0879
04-0859		Magnetic Null Accelerometer In-Process Vision Detection of Flaws and FOD	10/904,719	24-Nov-04		0395
04-0893		(10/904,718	24-1404-04	0.12221	0333
	. .	By Back Field Illumination	10/907,625	08-Apr-05	015977	0782
04-0914		Aircraft Sink with Integrated Waste Disposal	10/807,025	00-401-00	1013077	0102
<u></u>		Function Floor Place	10/907,751	14-Арг-05	018270	0012
04-0977		Extended Accuracy Flexured Plate Dual	10/30/108	1 4- Aþi-00	010275	0012
		Capacitance Accelerometer	10/907,973	22-Apr-05	015033	0523
04-0993		Design Methodology to Maximize the	10/907,973	22-Api-00	010300	0020
} }	\- <u></u>	Application of Direct Manufactured Aerospace	11/162,261	02-Sep-05	048400	0847
04-0993	Α	Flow Optimized Stiffener for Improving Rigidity	1 1/102,201	02-3ep-03	10430	10041
!	<u> </u>	of Ducting	11/028,093	03-Jan-05	016176	0741
04-1054	Ì	Electromagnetic Mechanical Pulse Forming of	11/020,093	00-0011-00	1010170	V
<u> </u>	<u> </u>	Fluid Joints for Low-Pressure Applications	00/000 256	28-Dec-04	016210	0260
04-1137	}	Jet Airplane Configuration	29/220,256		010210	0953
The same same same same same same same sam	A	Jet Airplane Configuration	29/220,254	28-Dec-04		0268
04-1137	В	Jet Airplane Configuration	29/220,255			0671
04-1240	Ì	Method and Apparatus for Optically Detecting	11/164,414	22-1404-02	2010000	0071
	<u></u>	and Identifying a Threat	10/907,729	13-Apr-05	1015800	0016
04-1256	<u> </u>	Multi-Ring System for Fuselage Formation		04-Nov-05		0779
04-1263	1	Integrally Damped Composite Aircraft Floor	11/163,957	04-1404-00	010132	0773
	 	Panels	11/163,001	30-Sep-05	016605	0244
05-0020	 	Integrated Wiring for Composite Structures	11/163,001			0199
05-0084	<u> </u>	Aircraft Stowage Bin	11/160,958		016273	0577
05-0164	į	Multiple Attendant Galley	11/161,735			0090
05-0263	1	Universal Apparatus for the Inspection,	11/101,733	} 15-Aug-0	010400	}5555
į		Transportation, and Storage of Large Shell	į.	İ		
<u></u>	ļ	Structures	11/162,257	02-Sep-0	0048100	0528
05-0288	.	Stringer Holding Device	11/164,267			0183
05-0300	 	Ceiling Illumination for Aircraft Interiors	11/161,769			0593
05-0302	1	Collapsible Guide for Non-Automated Area	11,101,108	, v-, Aug-o	3,0,000	
05.0055	ļ	Inspections Antenna Vibration Isolation Mounting System	11/164,309	17-Nov-0	5016795	0416
05-0355		Renewable Superhydrophobic Coating	11/160,600		5016225	
05-0360	 	Renewable Superhydrophobic Coaung	11/163,137		5 016642	
05-0377	 	Flow Path Splitter Duct	11/162,924			0959
05-0402	į	Rotor/Wing Dual Mode Hub Fairing System	11/102,524	- ZU GEP U	0,0,0007	

CESS NO.		MANGE NEAS	HEIBERICKERSEN	ing Granie ing
05-0410	Dehumidifying Radome Vent	11/164,225	15-NOV-05 01078	1 10030
05-0466	Environmentally Stable Hybrid Fabric System for Exterior Protection of an Aircraft	11/163,614	25-Oct-05 01668	0681
05-0493	Space Depot For Spacecraft Resupply	11/162,333	07-Sep-05 01649	8 0797
05-0541	Anti-Personnel Airborne Radar Application	11/162,474	12-Sep-05 01652	6 0855
05-0624	An Uploaded Lift Offset Rotor System For A Helicopter	11/163,414	18-Oct-05 01665	
05-0723	Method to Control Thickness in Composite Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05 01676	2 (0663